

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 01, 2017

Revision: November 01, 2017

1 Identification

- Product identifier
- · Trade name: FILL-CRETE (BAG MIX)

· Other means of identification: No other identifiers

Recommended use and restriction on use

- · Recommended use: Concrete/Mortar admixtures
- · Restrictions on use: No relevant information available.

[•] Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier: Marbelite International Corporation 1500 Global Court Sarasota, FL 34240 Phone: (941) 378-0860 Toll Free: (800) 348-3993 FAX: (941) 378-9832 Website: www.marbelite.com Email: information@marbelite.com

Emergency telephone number: ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Carc. 1A H350 May cause cancer. Route of exposure: Inhalation.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms:



· Signal word: Danger · Hazard statements: H315 Causes skin irritation. H318 Causes serious eye damage. H350 May cause cancer. Route of exposure: Inhalation. · Precautionary statements: P201 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. P202 P264 Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. P280

(Cont'd. on page 2)

Hand Crafted MARBELITE Custom Desitin

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 01, 2017

Revision: November 01, 2017

Trade name: FILL-CRETE (BAG MIX)

(Cont'd. of page 1)

P302+P352	If on skin: Wash with plenty of soap and water.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a poison center/doctor.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
• Other hazards	There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Component	ts:		
14808-60-7	Quartz (SiO2)	🚸 Carc. 1A, H350	60-63%
65997-15-1		 Eye Dam. 1, H318 Skin Irrit. 2, H315 	30-33%

• Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[·] Description of first aid measures

After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

After skin contact:

Brush off loose particles from skin. Immediately remove any clothing soiled by the product. Immediately rinse with water. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

Protect unharmed eye.
Remove contact lenses if worn, if possible.
Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing:
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.
Most important symptoms and effects, both acute and delayed:
Breathing difficulty
Coughing
Allergic reactions
Irritant to skin and mucous membranes.

(Cont'd. on page 3)

Hand Craftey MARBELITE Custom Design

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 01, 2017

Revision: November 01, 2017

Trade name: FILL-CRETE (BAG MIX)

(Cont'd. of page 2)

Strong irritant with the danger of severe eye injury. Gastric or intestinal disorders when ingested. Nausea in case of ingestion. • **Danger:** Danger of impaired breathing. May cause cancer. Route of exposure: Inhalation.

Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

Contains portland cement. May produce an allergic reaction.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

5 Fire-fighting measures

• Extinguishing media

· Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

• For safety reasons unsuitable extinguishing agents: None.

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

[•] Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

Avoid formation of dust.

Do not breathe dust.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Cont'd. on page 4)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 01, 2017

Revision: November 01, 2017

Trade name: FILL-CRETE (BAG MIX)

(Cont'd. of page 3)

7 Handling and storage

· Handling

Precautions for safe handling:

Use only in well ventilated areas.

Prevent formation of dust.

Any deposit of dust which cannot be avoided must be regularly removed.

Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage

• **Requirements to be met by storerooms and receptacles:** Protect from humidity and water. • **Information about storage in one common storage facility:**

Store away from foodstuffs.

Do not store together with acids.

Store away from water.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No relevant information available.

Components w	ith limit values that require monitoring at the workplace:	
14808-60-7 Qua	artz (SiO2)	
PEL (USA)	see Quartz listing	
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A	
TLV (USA)	Long-term value: 0.025* mg/m³ *as respirable fraction	
EL (Canada)	Long-term value: 0.025 mg/m³ ACGIH A2; IARC 1	
EV (Canada)	Long-term value: 0.10* mg/m ³ *respirable fraction	
LMPE (Mexico)	Long-term value: 0.025* mg/m³ A2, *fracción respirable	
65997-15-1 Cen	nent, portland, chemicals	
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m ³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
TLV (USA)	Long-term value: 1* mg/m³ E; *as respirable fraction	

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 01, 2017

Revision: November 01, 2017

Trade name: FILL-CRETE (BAG MIX)

	(Cont'd. of page 4))
EL (Canada)	Long-term value: 1 mg/m ³ respirable	
EV (Canada)	Long-term value: 10(D) mg/m ³ total dust	
LMPE (Mexico)) Long-term value: 1* mg/m³ A4, *fracción respirable	
General protect The usual protect Keep away from Immediately ren Wash hands be Do not inhale di Avoid contact w Engineering co Breathing equ Suitable respira Particulate mass Protection of h Protection The glove mate Eye protection Safety Follow relevant Body protection	ective equipment: ctive and hygienic measures: autionary measures for handling chemicals should be followed. n foodstuffs, beverages and feed. move all soiled and contaminated clothing. efore breaks and at the end of work. lust / smoke / mist. vith the eyes and skin. ontrols: No relevant information available. lipment: atory protective device recommended. sk should filter at least 99% of airborne particles. hands: tive gloves erial has to be impermeable and resistant to the product/ the substance/ the preparation.	
9 Physical and	d chemical properties	1

Appearance:		
Form:	Powder	
Color:	Gray	
· Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Alkaline	
Melting point/Melting range:	Not determined.	



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 01, 2017

Revision: November 01, 2017

Trade name: FILL-CRETE (BAG MIX)

		(Cont'd. of page
Boiling point/Boiling range:	Not determined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Product is not flammable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
Vapor pressure:	Not applicable.	
Density:		
Relative density:	2.8-3.0	
Vapor density:	Not applicable.	
Evaporation rate:	Not applicable.	
Solubility in / Miscibility with		
Water:	Slightly soluble.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Other information	No relevant information available.	

10 Stability and reactivity

· Reactivity: No relevant information available.

- · Chemical stability:
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

- Exothermic reaction with acids.
- Reacts with water.
- · Conditions to avoid Moisture.

· Incompatible materials No relevant information available.

· Hazardous decomposition products Possible in traces.

(Cont'd. on page 7)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 01, 2017

Revision: November 01, 2017

Trade name: FILL-CRETE (BAG MIX)

(Cont'd. of page 6)

1

Κ

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: Contains portland cement. May produce an allergic reaction.

• Subacute to chronic toxicity: No relevant information available.

· IARC (International Agency for Research on Cancer):

14808-60-7 Quartz (SiO2)

• NTP (National Toxicology Program):

14808-60-7 Quartz (SiO2)

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

- · Carcinogenicity: May cause cancer. Route of exposure: Inhalation.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

[·] Toxicity

- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- [•] Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Results of PBT and vPvB assessment

• **PBT:** Not applicable.

(Cont'd. on page 8)

Hand Crafted MARBELITE

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 01, 2017

Revision: November 01, 2017

Trade name: FILL-CRETE (BAG MIX)

(Cont'd. of page 7)

· **vPvB:** Not applicable.

· Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADR, IMDG, IATA	Not regulated.	
UN proper shipping name DOT, ADR, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
DOT, ADR, IMDG, IATA		
Class	Not regulated.	
Packing group		
DOT, ADR, IMDG, IATA	Not regulated.	
Environmental hazards		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	Il of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)

· SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

(Cont'd. on page 9)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 01, 2017

Revision: November 01, 2017

Trade name: FILL-CRETE (BAG MIX)

	(Cont'd. of pag
· Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients are listed.	
· TSCA (Toxic Substances Control Act)	
All ingredients are listed.	
· Proposition 65 (California)	
· Chemicals known to cause cancer:	
14808-60-7 Quartz (SiO2)	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
· IARC (International Agency for Research on Cancer):	
14808-60-7 Quartz (SiO2)	
· NIOSH-Ca (National Institute for Occupational Safety and Health):	
14808-60-7 Quartz (SiO2)	
Canadian Domestic Substances List (DSL):	
All ingredients are listed.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision November 01, 2017 / -

 Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxique vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Cont'd. on page 10)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 01, 2017

Revision: November 01, 2017

Trade name: FILL-CRETE (BAG MIX)

Website: www.chemtelinc.com

(Cont'd. of page 9)

Carc. 1A: Carcinogenicity – Category 1A **Sources** Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573