

Page: 1/10

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 01, 2017 Revision: November 01, 2017

1 Identification

· Product identifier

· Trade name: STYRO CRETE (BAG MIX)

· Other means of identification: No other identifiers

· Recommended use and restriction on use

· Recommended use: Concrete/Mortar admixtures

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Marbelite International Corporation

1500 Global Court Sarasota, FL 34240 Phone: (941) 378-0860 Toll Free: (800) 348-3993 FAX: (941) 378-9832 Website: www.marbelite.co

Website: www.marbelite.com Email: information@marbelite.com

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Carc. 1A H350 May cause cancer. Route of exposure: Inhalation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS05 GHS08

· Signal word: Danger

Hazard statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.

H350 May cause cancer. Route of exposure: Inhalation.

· Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Cont'd. on page 2)



Page: 2/10

(Cont'd. of page 1)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 01, 2017 Revision: November 01, 2017

Trade name: STYRO CRETE (BAG MIX)

P302+P352 If on skin: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a poison center/doctor.

P332+P313 If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:				
14808-60-7	Quartz (SiO2)	🕸 Carc. 1A, H350	60-63%	
65997-15-1	Dement, portland, chemicals	Eye Dam. 1, H318 Skin Irrit. 2, H315	30-33%	

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

- Description of first aid measures
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

· After skin contact:

Brush off loose particles from skin.

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Breathing difficulty

Coughing

Allergic reactions

Irritant to skin and mucous membranes.

(Cont'd. on page 3)



Page: 3/10

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 01, 2017 Revision: November 01, 2017

Trade name: STYRO CRETE (BAG MIX)

(Cont'd. of page 2)

Strong irritant with the danger of severe eye injury.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

Danger:

Danger of impaired breathing.

May cause cancer. Route of exposure: Inhalation.

· Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

Contains portland cement. May produce an allergic reaction.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

Avoid formation of dust.

Do not breathe dust.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Methods and material for containment and cleaning up

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 01, 2017 Revision: November 01, 2017

Trade name: STYRO CRETE (BAG MIX)

(Cont'd. of page 3)

Page: 4/10

7 Handling and storage

- Handling
- Precautions for safe handling:

Use only in well ventilated areas.

Prevent formation of dust.

Any deposit of dust which cannot be avoided must be regularly removed.

Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.

- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: Protect from humidity and water.
- Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with acids.

Store away from water.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

Control parar	Control parameters			
· Components w	rith limit values that require monitoring at the workplace:			
14808-60-7 Qua	artz (SiO2)			
PEL (USA)	see Quartz listing			
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A			
TLV (USA)	Long-term value: 0.025* mg/m³ *as respirable fraction			
EL (Canada)	Long-term value: 0.025 mg/m³ ACGIH A2; IARC 1			
EV (Canada)	Long-term value: 0.10* mg/m³ *respirable fraction			
LMPE (Mexico)	Long-term value: 0.025* mg/m³ A2, *fracción respirable			
65997-15-1 Cer	ment, portland, chemicals			
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m³ *total dust **respirable fraction			
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction			
TLV (USA)	Long-term value: 1* mg/m³ E; *as respirable fraction			
	(Cont'd. on page 5			

(Cont'd. on page 5)



Page: 5/10

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 01, 2017 Revision: November 01, 2017

Trade name: STYRO CRETE (BAG MIX)

(Cont'd. of page 4)

EL (Canada) Long-term value: 1 mg/m³

respirable

EV (Canada) Long-term value: 10(D) mg/m³

total dust

LMPE (Mexico) Long-term value: 1* mg/m³ A4, *fracción respirable

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin.

- · Engineering controls: No relevant information available.
- Breathing equipment:

Suitable respiratory protective device recommended.

Particulate mask should filter at least 99% of airborne particles.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment No special requirements.

Not determined.

· Risk management measures No relevant information available.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· Appearance:

· Odor threshold:

Form: Powder White Off-white Odorless

· pH-value: Alkaline

(Cont'd. on page 6)



Page: 6/10

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 01, 2017 Revision: November 01, 2017

Trade name: STYRO CRETE (BAG MIX)

		(Cont'd. of page 5)
· Melting point/Melting range: · Boiling point/Boiling range:	Not determined. Not determined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Product is not flammable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits Lower: Upper: · Oxidizing properties:	Not determined. Not determined. Non-oxidizing.	
· Vapor pressure:	Not applicable.	
Density: Relative density: Vapor density: Evaporation rate:	2.8-3.0 Not applicable. Not applicable.	
· Solubility in / Miscibility with Water:	Slightly soluble.	
Partition coefficient (n-octanol/water):	Not determined.	
· Viscosity Dynamic: Kinematic: · Other information	Not applicable. Not applicable. No relevant information available.	

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Exothermic reaction with acids.

Reacts with water.

- · Conditions to avoid Moisture.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products Possible in traces.

(Cont'd. on page 7)



Page: 7/10

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 01, 2017 Revision: November 01, 2017

Trade name: STYRO CRETE (BAG MIX)

(Cont'd. of page 6)

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- On the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Contains portland cement. May produce an allergic reaction.
- · Subacute to chronic toxicity: No relevant information available.

IARC (International Agency for Research on Cancer):	
14808-60-7 Quartz (SiO2)	1
NTD (Net Const. Torchology December)	

· NTP (National Toxicology Program):

14808-60-7 Quartz (SiO2)

ΙK

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: May cause cancer. Route of exposure: Inhalation.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Cont'd. on page 8)



Page: 8/10

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 01, 2017 Revision: November 01, 2017

Trade name: STYRO CRETE (BAG MIX)

(Cont'd. of page 7)

· vPvB: Not applicable.

• Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	Not regulated.	
· UN proper shipping name · DOT, ADR, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not regulated.	
· Packing group · DOT, ADR, IMDG, IATA	Not regulated.	
· Environmental hazards · Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

(Cont'd. on page 9)



Page: 9/10

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 01, 2017 Revision: November 01, 2017

Trade name: STYRO CRETE (BAG MIX)

(Cont'd. of page 8)

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

· Proposition 65 (California)

· Chemicals known to cause cancer:

14808-60-7 Quartz (SiO2)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

14808-60-7 | Quartz (SiO2)

|1

· NIOSH-Ca (National Institute for Occupational Safety and Health):

14808-60-7 Quartz (SiO2)

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision November 01, 2017 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxique

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Cont'd. on page 10)



Page: 10/10

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: November 01, 2017 Revision: November 01, 2017

Trade name: STYRO CRETE (BAG MIX)

(Cont'd. of page 9)

Carc. 1A: Carcinogenicity - Category 1A

· Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com